



AMS-IX Update

RIPE52 EIX-WG

Istanbul, 27th April 2006

cara.mascini@ams-ix.net



Port and Member Statistics

	Sept 2005	Dec 2005	Apr 2006	+/-
# members	225	234	238	+13
# ports	349	365	373	+24
10 GE – LR/ER	25	37	49	+24
1 GE-SX/LX	192	188	184	-8
100base-TX	86	90	89	+3
10base-T	46	50	51	+5

Istanbul, 27th April 2006- RIPE52 EIX-WG


Traffic & volume statistics

- Public peering traffic
Max 144 Gbps
(5 minutes average)
- 'Night' traffic around
60 Gbps



Average volume is
1 Petabyte a day

Topology April 2006



Developments

- 10GE-ER (no LR) available at Global Switch in May
- VoIP / ENUM / SIP developments
- Streaming media developments

Member Survey Results (1)

- New members come to AMS-IX for the routes they can get
- Existing members stay because of the cost savings they realize
- Performance of the NOC team rates at 8.4
- Platform parameters (packet loss, delay and jitter) are considered good to outstanding
 - We could work on reporting

Member Survey Results (2)

- Establishment of peering seems smooth for most parties
 - Members peering information is available online
- Open or semi-open policies for 87 % of the respondents
- 64% peers with over 100 unique ASN's
- Respondents networks are at 4+ exchanges (excl. 10+ answers)
 - Most mentioned: DE-CIX, LINX, NL-IX, Equinix

Questions ?